

Document Control

Title: Referral pathway for electrophysiology and device procedures in adult patients with congenital heart disease Document Reference: NWCHDN_42						
 Authors: Dr Reza Ashrafi (ACHD/EP Consultant Cardiologist, LHCH NHS Foundation Trust) Dr Damien Cullington (Clinical Lead and ACHD Consultant Cardiologist, LHCH NHS Foundation Trust) 				Lead Clinician: Dr Damien Cullington (Clinical Lead and ACHD Consultant Cardiologist, LHCH NHS Foundation Trust)		
Directorate/ Network: North West, North Wales and the Isle of Man Congenital Heart Disease Operational Delivery Network						
Version	Date Issued	Status	Commen	nment/ Change/ approval		
V1.0	30/11/22	FINAL	Documer	nent initiated by Dr Reza Ashrafi		
				Phone: 0151 600 1616 (via Secretary) Email: <u>northwestchdnetwork@alderhey.nhs.uk</u>		
lssue Date: 19/12/22			iew Date: ember 23		Review Cycle: 3 yearly	
Stakeholders Consulted (list all) > x > x Approved By: ACHD Ratification Task & Finish Group on behalf of the NW CHD Network						
Board Date: 19/12/2022						
Document control: The controlled copy of this document is maintained by NW CHD Network. Any copies of this document held outside of that area, in whatever format (e.g., paper, email attachment), are considered to have passed out of control and should be checked for currency and validity.						





Referral Pathway for electrophysiology and device procedures in adult patients with congenital heart disease

Date: 19/12/22

Dr Reza Ashrafi: ACHD/EP Consultant Cardiologist, LHCH NHS Foundation Trust) Dr Damien Cullington (Clinical Lead and ACHD Consultant Cardiologist, LHCH NHS Foundation Trust)



Contents

Target Audience	3
Patients Affected	3
Referral Guidelines	4
List of ACHD Clinics across the North West of England and North	_
Wales (Table 1)	5
How to Refer	7
Who to Contact	
ACHD Referral Pathway (Diagram 1)	
References	



Target Audience

Physicians or Nurses within the North West and North Wales and the Isle of Man Operational Delivery Network.

Patients affected

Patients ≥18 years of age requiring assessment for or undergoing electrophysiology and device procedures

In patients with congenital heart disease (CHD) there are structural and hemodynamic factors to consider when managing arrhythmias and society guidelines recommend referral and discussion of EP and device cases with ACHD specialists prior to intervention. In addition, there may be anatomical and haemodynamic challenges not seen in acquired heart disease requiring that procedures are undertaken by those with expertise in arrhythmias in ACHD.

The majority of patients with congenital heart disease will require lifelong follow up. New onset arrhythmia may signal the need for earlier follow up by the ACHD team or maybe an opportunity for re-referral of patients lost to follow up.

In principle all patients with arrhythmias and congenital heart disease should be referred to the team at LHCH for review and further management. It maybe that some simpler procedures and simple CHD lesions can be managed locally but this should only be after discussion.

Example electrophysiology procedures that maybe performed locally after review by the ACHD team

- 1. Atrial arrhythmia ablation in patients with isolated congenital aortic or mitral valve abnormalities such bicuspid aortic valve disease or mitral valve prolapse
- 2. Atrial arrhythmia ablation in patients with an isolated restrictive perimembranous VSD or isolated repaired coarctation
- 3. Atrial arrhythmia ablation in patients with isolated repaired PDA
- 4. Atrial arrhythmia ablation with isolated PFO
- 5. Atrial arrhythmia ablation in patients with isolated mild pulmonary stenosis having never required treatment

Example cardiac device procedures that maybe performed locally after review by the ACHD team

1. Pacemaker generator change





- 2. Pacemaker insertion in patients with repaired isolated ASD or VSD with no residual shunt
- 3. Pacemaker insertion in patients with patients with isolated congenital aortic or mitral valve abnormalities such bicuspid aortic valve disease or mitral valve prolapse-repaired or unrepaired
- 4. Pacemaker insertion in patients with isolated mild pulmonary stenosis having never required treatment
- 5. Pacemaker insertion in patients with isolated repaired PDA or isolated repaired coarctation

Referral Guidelines

Patients who may be discharged after an initial ACHD review:

- > Atrial septal defect (ASD)
 - > with early surgical repair
 - > no residual defect
 - > normal cardiac volumetrics
 - > normal function
 - > normal ECG
- > Ventricular septal defect (VSD)
 - > with early surgical closure or spontaneous closure
 - > normal conduction on the ECG
- > Patients with a Patent Foramen Ovale (PFO)
- > Patients with a Patent Ductus Arteriosus (PDA)
 - > device closure or coiling

Patients who could be followed locally by acquired cardiology with return referral if needed or joint care:

- > small restrictive ventricular septal defect (peri-membranous or muscular)
- > small atrial septal defect (shunt <1.5:1)</p>
- > mild pulmonary stenosis or pulmonary regurgitation
- > bicuspid aortic valve with mild stenosis and/or regurgitation and no aortopathy
- > mild mitral regurgitation

Patients who can be managed jointly in a peripheral clinic with periodic review by an ACHD specialist:

- late atrial septal defect surgical repair (adult) or device closure (device size >24mm)
- > atrioventricular septal defect with excellent repair
- > all valve replacements or post valvotomy
- > Tetralogy of Fallot with good repair <moderate pulmonary incompetence
- repaired coarctation of the aorta with excellent repair (simple coarctation)
- > Isolated coarctation of the aorta not requiring intervention and normotensive





Patients who are best cared for by an ACHD cardiologist- centrally or locally:

- > restrictive ventricular septal defect with aortic regurgitation
- atrioventricular septal defect with >moderate left or right atrioventricular valve regurgitation (LAVVR/RAVVR)
- > Tetralogy of Fallot with >moderate Pulmonary Regurgitation (PR)
- > Sub or supra aortic stenosis
- > Ross repairs
- Dysplastic aortic valve/Bicuspid Aortic Valve (BAV) with >moderate Aortic Incompetence (AI) or Aortic Stenosis (AS) +/-aortopathy
- > Complex coarctation
- > Truncus arteriosus
- > Shone's complex
- All patients with a history of transposition of the great arteries (Mustard, Senning, Rastelli, Arterial Switch)
- > Pulmonary atresia with or without ventricular septal defect
- > Ebstein's anomaly
- > All Fontan patients
- > Any unrepaired single ventricle physiology
- > Patients with ACHD-PH and Eisenmenger's syndrome

List of ACHD Clinics across the North West of England and

North Wales Table 1:

Hospital	Contact	Telephone Number
Liverpool Heart & Chest	ACHD Cardiologists:	Switchboard:
Hospital NHS Foundation	Dr Damien Cullington	0151 600 1616
Trust	(Clinical Lead)	
Thomas Drive	Dr Sarah Elgamal (imaging)	
Liverpool	Dr Jaspal Dua	
L14 3PE	Dr Petra Jenkins (PH)	
	Dr Reza Ashrafi (EP)	
	Dr Vasileios Papaioannou	
	(PH)	
	Dr Julia Jones	
	Specialist Nurses - Adult	Tel: 0151 254 3333
	Congenital Heart Disease	Mobile: 07542229889
Manchester University	ACHD Cardiologists	Switchboard:
NHS Foundation Trust,	Dr Damien Cullington	0161 276 1234
Manchester Heart Centre,	(Clinical Lead),	
MRI, Oxford Road,	Dr Jaspal Dua	
Manchester,	Dr Petra Jenkins (PH)	



	l .	
M13 9WL	Dr Vasileios Papaioannou	
	(PH and general ACHD)	
	Dr Julia Jones	
	Cardiologists with a special	
	interest in ACHD	
	Professor Bernard Clarke	
	Specialist Nurses - Adult	0161 276 1234
	Congenital Heart Disease	Bleep: 6994
		Voicera: ask for ACHD
		Nurse
Manchester University	Consultant Cardiologist	Tel: 0161 998 7070
NHS Foundation Trust,	with an interest in ACHD	
Wythenshawe Hospital,	Dr Anita Macnab	
Southmoor Road,	ACHD Cardiologist	
Wythenshawe	Dr Reza Ashrafi	
M23 9LT	Specialist Nurses - Adult	0161 276 1234
	Congenital Heart Disease	Bleep: 6994
		Voicera: ask for ACHD
		Nurse
Betws Cadwalader	Consultant Cardiologist	Tel: 01978 727 801
University Health Board –	with an interest in ACHD	
Wrexham Maelor Hospital,	Dr Raj Thaman	
Croesnewydd Road,	ACHD Cardiologist	
Wrexham,	Dr Petra Jenkins	
LL13 7TD	(Based at LHCH)	
	Nicola Coates	Tel: 01978 727 801
	Specialist Nurse - Adult	
	Congenital Heart Disease	
Blackpool Teaching	ACHD Cardiologist	Tel: 0151 254 3350
Hospitals NHS Foundation	Dr Vasileios Papaoiannou	
Trust,	(Refer to LHCH FAO of	
Blackpool Victoria	Blackpool ACHD)	
Hospital, Whinney Heys		
Road, Blackpool,	Specialist Nurses – Adult	Tel: 0151 254 3333
FY3 8NR	Congenital Heart Disease	
	via the helpline at	
	Liverpool Heart & Chest	
	Hospital	



How to refer

All new diagnoses of congenital heart disease should be referred in writing to a member of the level 1 team either centrally at Liverpool Heart and Chest NHS Foundation Trust or at the peripheral clinic that they visit. Patients will either then receive an appointment or advice will be given back to the referrer suggesting local follow up.

Patients who have been identified as being lost to follow up should be referred in writing to a member of the level 1 team either centrally at Liverpool Heart and Chest NHS Foundation Trust or at the peripheral clinic that they visit. Patients will either then receive an appointment or advice will be given back to the referrer suggesting local follow up.

Acute admissions can be arranged via the consultant on-call via switchboard at Liverpool Heart and Chest NHS Foundation Trust on 0151 600 1616.

Who to Contact

The ACHD on-call team are available for urgent advice twenty-four hours a day, seven days a week and can be contacted via the switchboard at Liverpool Heart and Chest NHS Trust on 0151 600 1616.

Dr Reza Ashrafi Dr Damien Cullington Dr Jaspal Dua Dr Sarah Elgamal Dr Petra Jenkins Dr Vasileios Papaioannou Dr Julia Jones


ACHD Specialist nursing team can be contacted Monday to Friday 8am to 6pm 07542229889

Fiona Andrews Lisa Devitt Lorraine English Anna Harrison Sharon Hughes Julie Ollerhead Linsha George



Diagram 1

ACHD Referral Pathway



References

2018 AHA/ACC guidelines for the management of adults with congenital heart disease <u>http://www.onlinejacc.org/content/early/2018/08/09/j.jacc.2018.08.1029?_ga=2.6085213</u> 2.9406661.1535710896-1058041045.1535710896

2014 AHA/ACC Guideline for the Management of Patients With Valvular Heart Disease A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines

http://www.onlinejacc.org/content/63/22/e57



2014 PACES/HRS Expert Consensus Statement on the Recognition and Management of Arrhythmias in Adult Congenital Heart Disease <u>https://www.heartrhythmjournal.com/article/S1547-5271(14)00513-X/fulltext</u>

2020 ESC Guidelines for the management of adult congenital heart disease: The Task Force for the management of adult congenital heart disease of the European Society of Cardiology (ESC)

https://academic.oup.com/eurheartj/advancearticle/doi/10.1093/eurheartj/ehaa554/5898606

2017 ESC/EACTS Guidelines for the management of valvular heart disease <u>https://academic.oup.com/eurheartj/article/38/36/2739/4095039#supplementary-data</u>

2018 ESC Scientific Document Group, Arrhythmias in congenital heart disease: a position paper of the European Heart Rhythm Association (EHRA), Association for European Paediatric and Congenital Cardiology (AEPC), and the European Society of Cardiology (ESC) Working Group on Grown-up Congenital heart disease, endorsed by HRS, PACES, APHRS, and SOLAECE

https://academic.oup.com/europace/article/20/11/1719/4944677

2016 BHRS Standards for cardiac rhythm management in patients with congenital heart disease

https://bhrs.com/wp-content/uploads/2019/03/160216-Standards-Cardiac-rhythm-management-inpatients-with-congenital-heart-disease.pdf